

Powerful, efficient, silent



Nilfisk-ALTO ATTIX 7

Superior suction power, silent operation and innovative features - why compromise



Versatile container handling
You can tilt the container to empty it, or simply lift it out of the frame when it is time to empty it.

ERGONOMIC DESIGN

The ultimate in convenience... You will appreciate the robust, comfortable handle for mobility, the efficient tilt or lift-out container, the handy tool tray and the practical suction tube holder.

Easy to use = high efficiency.

SILENT POWER

because the best vacuums are seen and not heard. Friendly for the users, and for other people nearby. Performance that is simply unheard of!

ROBUST

Robust with a steel frame and stainless steel container.

HIGH PERFORMANCE

with 2-stage turbines and bypass motors.

HIGH EFFICIENCY

for users with the tilting and removable container, and optional features like XtremeClean and Automatic On/Off.



▲ ATTIX 791-21



ATTIX 7 Safety
Vacuums



The Nilfisk-ALTO ATTIX 7 Series includes Safety Vacuum variants that comply with the new European standards for both M-Class and H-Class hazardous dust, and ATEX Type 22 – B1 explosive dust. You can see the details in the Safety Vacuum brochure.



Special solutions for special applications

Liquid Vac, Fire Brigade and EasyDisposal - why compromise



▲ ATTIX 751-61

A logical extension of the high capacity ATTIX 7 series are the Liquid Vac for flood cleanup, the Fire Brigade model for cleanup after fires or road-spills, and the EasyDisposal machines, which allow you to change the disposal bag quickly and get back to your task.

Nilfisk-ALTO ATTIX 751-61

The Liquid-Vac will pick up water at 200 liters per minute and discharge it as much as 9 m higher and 50 m away from the cleanup.

Nilfisk-ALTO ATTIX 751-71

Specifically designed and equipped for Fire Brigade use, cleaning up after highway accidents or fires.

Nilfisk-ALTO ATTIX 763-21 ED

External disposal bags and the XtremeClean system make working with the ED model quick and efficient.



▲ ATTIX 751-71



▲ ATTIX 736-21 ED

ATTIX 7

- THE FACTS FOR XTREME PERFORMANCE



▲ ATTIX 761-21 XC

▲ ATTIX 791-21 EC

▲ ATTIX 751-11
ATTIX 751-21

▲ ATTIX 751-61

▲ ATTIX 751-71

▲ ATTIX 763-21 ED

Technical data:

		ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-21	ATTIX 751-11	ATTIX 751-61	ATTIX 751-71	ATTIX 763-21 ED
Air flow rate	l/min.	3600	3800	3600	3600	3600	3600	3600
Vacuum	mbar/KPa	230/23	250/25	230/23	230/23	230/23	230/23	230/23
Power (max)	W	1500	1500	1500	1500	1500	1500	1500
Power (IEC)	W	1200	1200	1200	1200	1200	1200	1200
Mains connection	V/~/Hz	230/1~/50-60	230/1~/50-60	230/1~/50-60	230/1~/50-60	230/1~/50-60	230/1~/50-60	230/1~/50-60
Working sound level	dB(A)	57	57	57	57	57	57	57
Container volume	l	70	70	70	70	70	70	30
L x W x H	mm	605 x 580 x 970	605 x 580 x 970	605 x 580 x 970	605 x 580 x 970	605 x 580 x 970	510 x 480 x 875	605 x 580 x 1284
Weight w/o accessories	kg	27	25	25	25	33	31	25
Mains cable	m	7.5	7.5	7.5	7.5	7.5	10	7.5

Features:

	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-21	ATTIX 751-11	ATTIX 751-61	ATTIX 751-71	ATTIX 763-21 ED
Filter Cleaning System	XtremeClean						XtremeClean
Auto On/Off	●	●	●				●
Convenience El. socket				●			
SoftStart	●	●	●	●	●	●	●
Speed control	●	●	●		●	●	●
AntiStatic	●	●	●		●	●	●
Cable hook	●	●	●		●		●
Tube holder	●	●	●		●		●
Tool tray	●	●	●		●	●	●
				ready	ready	ready	

Standard Accessories:

	ATTIX 761-21 XC	ATTIX 791-21 EC	ATTIX 751-21	ATTIX 751-11	ATTIX 751-61	ATTIX 751-71	ATTIX 763-21 ED
Hose (dia x length)	mm x m	Ø 27 x 3.5	Ø 27 x 3.5	Ø 27 x 3.5	Ø 36 x 4	Ø 36 x 3.5	Ø 36 x 5
Curved hand tube				●		●	●
Extension tube						●	●
Floor nozzle						●	●
Crevice nozzle						●	
Rubber nozzle				●			
Tool adapter	●	●	●				
Filter cartridge, washable	PET fleece	PET fleece	PET fleece	PET fleece			PET fleece
Filter bag	1	1	1	1			
Disposal bag	1						1